


120kW Photovoltaic Container for Power Grid Distribution Stations





120kW Photovoltaic Container for Power Grid Distribution Stations



Tumor-repopulating cell-derived microparticles elicit cascade

Here, we developed tumor-repopulating cell (TRC)-derived microparticles with exceptional tumor targeting to deliver doxorubicin (DOX@3D-MPs) for improve anti-PD-1 therapy.

[Get Price](#)

[4T1 Syngeneic Model , Xenograft Services: CDX, PDX, PDO, ...](#)

4T1 Syngeneic Model 4T1 Cell Line Derived Xenograft (Syngeneic Model) 4T1 cancer refers to cancer cells that originate from the 4T1 cell line, which is a commonly used ...

[Get Price](#)



Enhanced anti-tumor and anti-metastasis therapy for triple negative

Tumor growth and metastasis are multistep processes regulated by multiple signaling pathways. The successful treatment of cancer largely depends on th...

[Get Price](#)



[CXCL13 expression in mouse 4T1 breast cancer ...](#)

To explore the possible role of CXCL13 in the breast cancer microenvironment, mouse triple negative breast cancer (TNBC) was lentivirally transfected to stably overexpress ...



[Get Price](#)



[Comparison of breast cancer metastasis models reveals a ...](#)

In breast cancer patients, the lungs are among the first sites of cancer metastasis, and in nearly one quarter of metastatic patients, the exclusive first event. Two common mouse ...

[Get Price](#)

[Functionalized Tumor Cell Membrane-Camouflaged Photo ...](#)

The melittin-functionalized 4T1 tumor cell membrane not only enables homologous targeting ability to 4T1 tumors, but also increases both the concentration of melittin and ACPT ...

[Get Price](#)



[Stereotactic ablative radiotherapy and FAP?-based cancer ...](#)

Results Consistent with the poorly immunogenic nature of 4T1, tumor-bearing mice receiving FAP?-based cancer vaccine or SABR monotherapy showed a modest reduction in ...

[Get Price](#)



Biomaterial-based scaffold for in situ chemo-immunotherapy ...

The immunosuppressive tumour microenvironment impairs immunotherapy in poorly immunogenic cancer. Here, the authors load an alginate gel with GM-CSF, CpG ...

[Get Price](#)



4T1 Syngeneic Murine Model

4T1 syngeneic murine model (subcutaneous, orthotopic and metastatic) Breast cancer remains the second leading cause of cancer deaths in females worldwide. Although ...

[Get Price](#)

Gene expression in tumor cells and stroma in dsRed 4T1 tumors ...

To verify tumor growth in the eGFP mice (Figure 1A), a fluorescence dissection microscope with UV-filter optics for dsRed and eGFP was used. As shown in Figure 1B, a red 4T1 mammary ...

[Get Price](#)



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.germansolar.co.za>



Scan QR Code for More Information



<https://www.germansolar.co.za>